

Acupuncture 針灸

- 1 Stomach channel passes along which of the following line on chest? 下列哪一個是胃經在胸部的走向?
- A. 0.5 cun (units) from the middle line 中線旁開 0.5 寸
 - B. 2.0 cun (units) from the middle line 中線旁開 2 寸
 - C. 4.0 cun (units) from the middle line 中線旁開 4 寸
 - D. 6.0 cun (units) from the middle line 中線旁開 6 寸
- 2 The LI channel and Lung channel meet in which of the following areas: 大腸經和肺經在何處相會?
- A. Radial side of thumb 拇指的橈側
 - B. Ulnar side of thumb 拇指的尺側
 - C. Radial side of index finger 食指的橈側
 - D. Ulnar side of index finger 食指的尺側
- 3 At which level, does Spleen channel run along the anterior side, medial aspect of lower leg? 脾經在何處行于下肢內側面的前緣?
- A. 2 cun above medial ankle 內踝上 2 寸
 - B. 4 cun above medial ankle 內踝上 4 寸
 - C. 6 cun above medial ankle 內踝上 6 寸
 - D. 8 cun above medial ankle 內踝上 8 寸
- 4 Pain in the ear and temporal side of the head is most likely caused by a disorder of the: 耳朵和頭顱側的疼痛最有可能是下列哪一條經絡的問題?
- A. San Jiao meridian 三焦經
 - B. Liver meridian 肝經
 - C. Yang Linking 陽維脈
 - D. Gall bladder meridian 膽經
- 5 The symptoms of deafness and toothaches is most likely the disorder of: 下列哪一種經絡的失調最容易引起耳聾、牙痛等症狀?
- A. LI primary channel 大腸經本經
 - B. LI collateral 大腸經別絡
 - C. LI divergent channel 大腸經經別
 - D. LI muscle channel 大腸經經筋
- 6 All the divergent meridians back to their parents channel: 所有經別的循行，最後都回到它們各自的本經:
- A. TRUE 是
 - B. FALSE 否
- 7 Which of the following "4 words" could be used to describe the distribution of the divergent meridians? 下列哪四個字可以用來描述“經別”循行的特點?
- A. Leave, exit, enter, join 離、出、入、合

- B. Leave, enter, exit, join 離、入、出、合
- C. Leave, join, exit, enter 離、合、出、入
- D. Enter, exit, leave, join 入、出、離、合

8 The element of the Jing-well points on the Yang-meridian is: 陽經“井穴”的五行屬性是:

- A. wood 木
- B. metal 金
- C. water 水
- D. fire 火

9 Which of the following meridians wind around lips? 下列哪一條經絡繞行口唇?

- A. Ren 任脈
- B. Liver 肝經
- C. Both A + B 以上皆是
- D. None of the above 以上皆非

10 A 35 year old man has been suffering from tightness on medial aspect of lower limbs after traumatic injury. The most likely related meridian is: 病人男性, 35 歲, 他的下肢自從受過外傷後, 大腿的內側部分有繃緊的感覺。最可能是下列哪一條經絡的問題?

- A. Yin heel 陰蹻脈
- B. Yin linking 陰維脈
- C. Kidney 腎經
- D. Liver 肝經

11 The Liver meridian meet Du (GV) meridian at 肝經和督脈在何處相交會?

- A. Forehead 前額
- B. Vertex 頭頂
- C. Occipital 枕部
- D. Neck 頸部

12 Which of the following points are at the same level? 下列哪一組穴位處於同一水平綫上?

- A. UB -12, UB -41 風門、附分
- B. UB -23, UB -52 腎俞、志室
- C. UB -21, UB -50 脾俞、意舍
- D. All of the above 以上皆是

13 Lu 9 is: “太淵”穴是:

- A. Yuan-source point 原穴
- B. Shu-stream point 輸穴
- C. Eight influential points 八會穴
- D. All of the above 以上皆是

14 H 6 is located at 陰郤位于

- A. radial side of the tendon of M. flexor carpi ulnaris, 1 cun above wrist 尺側腕屈肌腱的橈側緣，腕橫紋上 1 寸
- B. radial side of the tendon of M. flexor carpi ulnaris, 0.5 cun above wrist 尺側腕屈肌腱的橈側緣，腕橫紋上 0.5 寸
- C. ulnar side of the tendon of M. flexor carpi ulnaris, 1 cun above wrist 尺側腕屈肌腱的尺側緣，腕橫紋上 1 寸
- D. ulnar side of the tendon of M. flexor carpi ulnaris, 0.5 cun above wrist 尺側腕屈肌腱的尺側緣，腕橫紋上 0.5 寸

15 The distance between UB 59 and UB 60 is: 跗陽和昆侖之間的距離是:

- A. 3 cun
- B. 4 cun
- C. 6 cun
- D. 7 cun

16 UB 32 locates in which sacral foramen? 次膠位于第幾個骶後孔中?

- A. 1st 第一个
- B. 2nd 第二个
- C. 3rd 第三个
- D. 4th 第四个

17 The Xi-cleft points of yin linking channel is: 陰維脈的郄穴是:

- A. KD-5 水泉
- B. KD-6 照海
- C. KD-8 交信
- D. KD-9 筑賓

18 The He-sea point of KI channel is: 腎經的合穴是

- A. KD-10 陰谷
- B. KD-9 筑賓
- C. KD-8 交信
- D. KD-7 復溜

19 Which of the following points is located at ulnar side of the tendon of M. biceps brachii? 下列哪一個穴位位于肱二頭肌腱的尺側緣?

- A. PC-5 間使
- B. PC-4 郛門
- C. PC-3 曲澤
- D. PC-2 天泉

20 Which of the following points is located at the lower border of the tuberosity of the navicular? 下列哪一個穴位位于足舟骨粗隆的下方?

- A. KD-3 太溪
- B. KD-2 然谷

- C. KD-4 大鐘
- D. KD-6 照海

21 Which of the following points is located at the level with 4th intercostals space? 下列哪一個穴位平第四肋間隙？

- A. REN-16 中庭
- B. REN-17 膻中
- C. REN-18 玉堂
- D. REN-19 紫宮

22 Which of the following points is below the spinous process of C 7? 下列哪一個穴位位于第七頸椎棘突下？

- A. DU-11 神道
- B. DU-12 身柱
- C. DU-13 陶道
- D. DU-14 大椎

23 GB 2 locates in front of the 聽會與以下何解剖結構相平？

- A. supratragic notch 屏上切跡
- B. tragus 外耳屏中央
- C. intertragic notch 屏間切跡
- D. ear root 耳根

24 The distance between GB 39 and the tip of lateral ankle is: 懸鐘和外踝尖相距：

- A. 7 cun
- B. 5 cun
- C. 4 cun
- D. 3 cun

25 The front-mu point of liver is: 肝的募穴是：

- A. LV-14 期門
- B. LV-13 章門
- C. LV-8 日月
- D. GB-26 京門

26 Ren 10 located _____ cun above the umbilicus? “下脘”位于臍上幾寸？

- A. 4 Cun
- B. 3 Cun
- C. 2 Cun
- D. 1 Cun

27 Which point has the function of “benefiting and regulating the nose”? It also treats vertex headaches. 以下何穴具有通利鼻竅的功能，又可以治療巔頂痛？

- A. UB -1 睛明
- B. UB -2 攢竹
- C. UB -7 通天

D. UB -10 天柱

28 Which point regulates qi and pacifies (internal) wind? 以下何穴具有理氣和平息內風的功效？

- A. UB -1 睛明
- B. UB -2 攢竹
- C. UB -7 通天
- D. UB -10 天柱

29 Which point unbinds the chest, resolves blood stasis, and calms the spirit? 以下何穴可以寬胸、活血、安神？

- A. UB -13 肺俞
- B. UB -15 心俞
- C. UB -17 膈俞
- D. UB -18 肝俞

30 Which two points promote or benefit urination? Choose two: 以下哪個穴位可以利尿？

- A. UB -39 委陽
- B. UB -41 附分
- C. UB -57 承山
- D. UB -58 飛揚

31 Which point regulates the lower burner, facilitates urination and defecation, regulates menstruation, and stops leucorrhea? 以下何穴具有調理下焦，通利二便，調理月經，止白帶等功效？

- A. UB -32 次膠
- B. UB -39 委陽
- C. UB -40 委中
- D. UB -43 膏肓俞

32 Which point treats especially the internal but also the external aspects of the lungs? 以下何穴可以治療肺的表証和裏証？

- A. UB -10 天柱
- B. UB -11 大杼
- C. UB -12 風門
- D. UB -13 肺俞

33 Which is the best point to clear heat and stop bleeding in the lungs? 以下何穴是清肺熱和止血的最佳選擇？

- A. LU-1 中府
- B. LU-5 尺澤
- C. LU-6 孔最
- D. LU-7 列缺

34 Which point treats all disorders of the spirit, and also all heart vacuity patterns? 以下何穴既治療心的所有虛症，又可以治療所有的神志疾病？

- A. HT-5 通里

- B. HT-6 陰郄
- C. HT-7 神門
- D. HT-9 少沖

35 Which point benefits the marrow, sinews, and bones, benefits the neck, and dispels wind damp? 以下哪一個穴位具有祛風濕，利筋骨的功效，並可治療頸項強痛？

- A. GB-34 陽陵泉
- B. GB-37 光明
- C. GB-39 懸鐘
- D. GB-40 丘墟

36 Which point is needled and/or moxaed to supplement qi, fortify yang, and rescue from collapse of yang, It does not supplement yin or essence. 針或灸以下何穴可以益氣補陽，回陽救逆，但不能滋陰益精？

- A. REN-1 會陰
- B. REN-3 中極
- C. REN-4 關元
- D. REN-6 氣海

37 Which point clears heat, regulates the governing vessel, and supplements the kidneys? 以下何穴可以清熱，調節督脈功能，並能補腎？

- A. DU-1 長強
- B. DU-4 命門
- C. DU-9 至陽
- D. DU-14 大椎

38 Which of the following points clears liver fire, spreads liver qi, pacifies liver wind, and only treats repletion conditions? 以下何穴能清肝火，理肝氣，熄肝風，治療實證？

- A. LV-1 大敦
- B. LV-2 行間
- C. LV-3 太沖
- D. LV-5 蠡溝

39 Which is a special point to eliminate wind? It also nourishes the sea of marrow but does NOT raise yang. 以下哪一個特殊的穴位能夠祛風，補益髓海，但是不能升陽？

- A. DU-1 長強
- B. DU-4 命門
- C. DU-14 大椎
- D. DU-16 風府

40 Which points pacifies wind, calms the spirit, and benefits the nose? 以下何穴能熄風，安神，通利鼻竅？

- A. yin tang 印堂
- B. tai yang 太陽
- C. bi tong 鼻通

D. an mian 安眠

41 Which point raises and regulates qi, regulates menstruation and alleviates pain? 以下何穴既可以理氣，升提，又能調經，止痛？

- A. zi gong 子宮
- B. xi yan 膝眼
- C. lan wei 闌尾
- D. dan nang 膽囊

42 Which of the eight extraordinary vessels binds the vertical channels, regulating the upward and downward flow of qi? 以下哪條奇經約束縱行經脈，並能調節經氣的上下流動？

- A. du (governing) 督脈
- B. ren (conception) 任脈
- C. chong (thoroughfare) 沖脈
- D. dai (girdling) 帶脈

43 Which of the following points locates at 4 cun above the umbilicus, 2 cun lateral to the anterior midline? 臍上 4 寸，正中綫旁開 2 寸的穴位是：

- A. ST-19 不容
- B. ST-20 承滿
- C. ST 21 梁門
- D. ST 22 關門

44 Which of the following points are 8 cun apart? 兩穴之間距離是 8 寸的穴位是：

- A. LU-9 to LU-6 太淵至孔最
- B. LI-6 to LI- 11 偏歷至曲池
- C. REN-3 to REN-12 中極至中脘
- D. SP-6 to SP-9 三陰交至陰陵泉

45 Which of the following meridians “reaches the root of the tongue, and spreads over its lower surface”? “聯係舌根，分散于舌下”的經脈是：

- A. Foot Jue-Yin Liver channel 足厥陰肝經
- B. Foot Shao-Yin Kidney channel 足少陰腎經
- C. Foot Tai-Yin Spleen channel 足太陰脾經
- D. Foot Yang-Ming Stomach channel 足陽明胃經

46 Which of the following meridians locates on the 3rd lateral line of the chest? 位于胸部第三側綫的經脈是：

- A. Lung channel 肺經
- B. Kidney channel 腎經
- C. Liver channel 肝經
- D. Stomach channel 胃經

47 Which of the following points is the confluence of the three yang channels of the hand and foot? 手三陽經與足三陽經均會于：

- A. DU-16 風府
- B. DU-14 大椎
- C. DU-20 百會
- D. DU-24 神庭

48 The Luo point of the Spleen channel locates at: 脾经的络穴位于:

- A. Proximal and inferior to the 1st metatarsophalan geal joint, in the depression of the junction of the red and white skin; 第一蹠趾關節后緣，赤白肉際凹陷處
- B. Distal and inferior to the 1st metatarsophalang geal joint, in the depression of the junction of the red and white skin; 第一蹠趾關節前緣，赤白肉際凹陷處
- C. In the depression distal and inferior to the base of the metatarsal bone, at the junction of the red and white skin; 第一蹠骨基底部前下緣，赤白肉際凹陷處
- D. In the depression proximal and inferior to the base of the metatarsal bone, at the junction of the red and white skin. 第一蹠骨基底部後下緣，赤白肉際凹陷處

49 According to the proportional measurements, the distance between Ext. 2 (yintang) and GV 20 is: 根據骨度分寸法，印堂穴至百會穴為:

- A. 10 cun
- B. 15 cun
- C. 8 cun
- D. 12 cun

50 Which of the following points belongs both the Front-Mu point of the Stomach and the Eight Influential Points? 下列哪一個穴位既是胃之募穴，又是腑會穴？

- A. REN-4 關元
- B. ST-37 上巨虛
- C. REN-12 中脘
- D. LV-13 章門

51 The point is on the lateral side of the neck, level with the tip of Adam's apple, between the sternal head and clavicular head of m. sternocleidomastoideus. What is the Yuan- Primary point of the channel that the above point belongs to? 某一穴位在颈外侧部，约与喉结平高，当胸锁乳突肌的胸骨头与锁骨头之间。

这个穴位所在經脈的原穴是：

- A. LI-5 陽溪
- B. HT-7 神門
- C. SJ-4 陽池
- D. LI-4 合谷

52 According to the Five Elements Theory, which of the following points belongs to "Fire"? 下列腧穴在五行配屬中屬“火”的是：

- A. HT-8 (Shao Fu) 少府
- B. PC-7 (Da Ling) 大陵
- C. SI-3 (Hou Xi) 后溪
- D. LV-8 (Qu Quan) 曲泉

- 53 Which of the following points is a "Luo-connecting point"? 下列哪一個穴位是“絡穴”？
- A. ST 36 足三里
 - B. BL 58 飛揚
 - C. ST 39 下巨虛
 - D. UB 39 委陽
- 54 Meridian can reflect the disorders of the body, if zang-fu organs have disorder, mainly will reflect on: 經絡能反應病候，如五臟有疾，主要反應于：
- A. Twelve Yu- Primary points 十二原穴
 - B. Twelve Jing-well points 十二井穴
 - C. Twelve He-sea points 十二合穴
 - D. Twelve Front-mu points 十二募穴
- 55 In the Five Shu Points, Yin-spring points is mainly used to treat: 在五輸穴中，榮穴主要治療：
- A. fullness below the heart 心下滿
 - B. body heat 身熱
 - C. heavy body and painful joints 體重節痛
 - D. cough, whizzing and fever 喘咳寒熱
- 56 In the following points on the face, which on should be located with mouth closed? 下列頭面部腧穴中，應合口而取穴的是：
- A. GB-2 聽會
 - B. ST-7 下關
 - C. SJ-21 耳門
 - D. SI-19 聽宮
- 57 LI 10 (shousanli) is located on: 手陽明大腸經的“手三里”位于：
- A. 1 cun below LI-11 曲池穴下 1 寸處
 - B. 2 cun below LI-11 曲池穴下 2 寸處
 - C. 3 cun below LI-11 曲池穴下 3 寸處
 - D. 8 cun below LI-5 陽溪穴上 8 寸處
- 58 Which of the following points is 2 cun lateral to REN 8? 下列哪一個腧穴位于神闕穴旁開 2 寸處？
- A. KI-16 肓俞
 - B. ST-25 天樞
 - C. SP-15 大橫
 - D. LV-13 章門
- 59 Which of the following channels' He-Sea point is located on the cubital crease, in the depression of the radial side of the tendon of m. biceps brachii? 下列哪一條經脈的合穴位于肘橫紋中，肱二頭肌腱橈側凹陷處？
- A. Pericardium Channel 心包經
 - B. Large Intestine Channel 大腸經
 - C. Heart Channel 心經

D. Lung Channel 肺经

60 Which of the following points should be located with the elbow flexed, at the midpoint of the line connecting the medial end of the cubital crease and the medial epicondyle of humerus? 屈肘，當肘橫紋內側端與肱骨內上髁連線的中點處的腧穴是：

- A. He-Sea point of Lung Channel 肺经的合穴
- B. He-Sea point of Pericardium Channel 心包经的合穴
- C. He-Sea point of Large Intestine Channel 大肠经的合穴
- D. He-Sea point of Heart Channel 心经的合穴

61 The Major Luo-Connecting Point of the Spleen is located in: 脾之大络位于腋中線上的：

- A. The 3rd intercostal space 第三肋間隙
- B. The 4th intercostal space 第四肋間隙
- C. The 5th intercostal space 第五肋間隙
- D. The 6th intercostal space 第六肋間隙

62 According to Five-Elements theory, which of the following points belongs to Fire, but its channel belongs to Wood? 經脈屬木，腧穴屬火的是：

- A. GB-41 足臨泣
- B. LV-2 行間
- C. LV-3 太冲
- D. LV-4 中封

63 Which of the following points is Influential Point of Blood? 血会是：

- A. DU-14 大杼
- B. SP-10 血海
- C. UB -17 膈俞
- D. UB -43 膏肓俞

64 Which of the following points can both open the orifices and treat asthma? 以下哪一个穴位除了开窍以外，又能治疗气喘？

- A. LI-1 商阳
- B. LU-11 少商
- C. ST-45 厉兑
- D. SP-1 隐白

65 Which of the following channels does not enter the brain? 以下那一條經絡不入腦？

- A. Yin Motility vessel 陰蹻脈
- B. Penetrating vessel 衝脈
- C. Yang Motility vessel 陽維脈
- D. Governing vessel 督脈

66 What extra point is located on the lower abdomen, 3 cun lateral to the midline, level with CV-3 ? 以下那一個奇穴位於下腹部，正中線旁開三寸，與中極穴位於同一水平？

- A. Zi Gong 子宮穴

- B. Ding Chuan 定喘穴
- C. Dan Nang 膽囊穴
- D. Er Bai 二白

- 67 The distance between the two mastoid processes: 两乳突之间的距离为:
- A. 12 cun
 - B. 8 cun
 - C. 9 cun
 - D. 6 cun
- 68 The distance between the medial border of the scapulas: 两肩胛内线之间的距离为:
- A. 9 cun
 - B. 8 cun
 - C. 6 cun
 - D. 3 cun
- 69 The distance from the sternocostal angle to the centre of the umbilicus: 胸剑联合至脐中的距离为:
- A. 9 cun
 - B. 8 cun
 - C. 6 cun
 - D. 5 cun
- 70 Which of the following is not consider five elements points? 下列哪个不是五输穴?
- A. Jing-well points 井穴
 - B. Ying-stream points 荥穴
 - C. Yuan-source points 原穴
 - D. He-sea points 合穴
- 71 The distance between midline to LU-1? 中府穴距正中线_____寸:
- A. 8 cun
 - B. 6 cun
 - C. 4 cun
 - D. 3 cun
- 72 LU-3 located: 天府穴在:
- A. 3 cun distal to the axillary fold 腋纹头下 3 寸
 - B. 3 cun distal the elbow crease 肘横纹上 3 寸
 - C. on the axillary fold 腋纹头上
 - D. 5 cun proximal to the elbow crease 肘横纹上 5 寸
- 73 On the line joining LU-5(Chi Ze) and LU-9 (Tai Yuan), 7 cun above the transverse crease of the wrist: 尺泽与太渊的连线上, 腕横纹上 7 寸为:
- A. LU-7 列缺
 - B. LU-6 孔最
 - C. LI-6 偏历
 - D. LU-8 经渠
- 74 On the radial aspect of the midpoint of the first metacarpal bone: 第一掌骨中点桡侧的穴位为:
- A. LU-10 鱼际

- B. LI-4 合谷
- C. LI-5 阳溪
- D. LI-3 三间

75 The point is located in the depression between the tendons of m. extensor pollicis longus and brevis. 拇长伸肌与拇短伸肌之间的穴位为:

- A. LU-7 列缺
- B. LI-5 阳溪
- C. LU-9 太渊
- D. LI-4 合谷

76 This point is located 2 cun below the cubital crease. 肘横纹下 2 寸的穴位为:

- A. LI-6 (Pian Li) 偏历
- B. LI-7 (Wen Liu) 温溜
- C. LI-10 (Shou SanLi) 手三里
- D. LI-13 (Shou WuLi) 手五里

77 Which of the following acupuncture point is not located in the transverse cubital crease? 下列哪一穴位不在肘横纹水平上:

- A. LU-5 尺泽
- B. LI-11 曲池
- C. LI-12 肘髎
- D. SI-8 小海

78 The distance between LI-14 (Bi Nao) and LI-11 (Qu Chi)? 臂臑在曲池上_____寸:

- A. 5 Cun
- B. 6 Cun
- C. 7 Cun
- D. 8 Cun

79 This point is located at the posterior border of sternocleidomastoid muscle. 胸锁乳头肌后缘的穴位为:

- A. ST-10 水突
- B. LI-18 扶突
- C. LI-17 天鼎
- D. ST-9 人迎

80 The point located in the depression at the infraorbital foramen. 眶下孔中的穴位为:

- A. ST-1 承泣
- B. ST-2 四白
- C. ST-6 颊车
- D. ST-7 下关

81 This point is located with the mouth closed. 需要闭口取穴的穴位为:

- A. ST-5 大迎
- B. ST-6 颊车
- C. ST-7 下关
- D. ST-2 四白

- 82 In the first intercostal space, 4 cun lateral to the anterior midline. 第一肋间, 正中线旁开 4 寸的穴是:
- A. ST-15 屋翳
 - B. SP-17 食窦
 - C. SP-19 胸乡
 - D. ST-14 库房
- 83 In the second intercostal space, 4 cun lateral to the anterior midline. 第二肋间, 正中线旁开 4 寸的穴是
- A. ST-15 (Wu Yi) 屋翳
 - B. SP-17 (Shi Dou) 食窦
 - C. SP-19 (XiongXiang) 胸乡
 - D. ST-14 (Ku Fang) 库房
- 84 In the fifth intercostal space, 6 cun lateral to the anterior midline. 第五肋间, 正中线旁开 6 寸的穴是:
- A. ST-15 屋翳
 - B. SP-17 食窦
 - C. SP-19 胸乡
 - D. ST-14 库房
- 85 The point located on the dorsum of the foot, between the second and third toes. 足背第二, 三趾逢间的穴位为:
- A. SP-2 大都
 - B. BL-66 足通谷
 - C. ST-44 内庭
 - D. ST-43 陷谷
- 86 This point is level with ST-38. 与条口在同一水平线上的穴位是:
- A. ST-36 足三里
 - B. ST-35 合阳
 - C. ST-40 丰隆
 - D. BL-56 承筋
- 87 This point is located 6 cun inferior to ST-35. 犊鼻下 6 寸的穴位是:
- A. ST-36 足三里
 - B. ST-37 上巨墟
 - C. ST-37 下巨墟
 - D. ST-38 条口
- 88 This point is located proximal and inferior to the 1st metatarsophalangeal joint. 第一跖骨小头后方的穴位是:
- A. SP-2 大都
 - B. SP-4 公孙
 - C. SP-3 太白
 - D. SP-5 商丘
- 89 This point is located in the depression posterior and inferior to the medial condyle of the tibia. 胫骨内踝下缘凹陷处的穴位是:

- A. SP-7 漏谷
- B. SP-8 地机
- C. SP-9 阴陵泉
- D. ST-36 足三里

- 90 This point is located on the middle axillary line. 腋中线上的穴位是:
A. SP-18 天溪
B. SP-20 周荣
C. SP-21 大包
D. ST-17 乳中
- 91 This point is located 3 cun above the transverse cubital crease, in the groove medial to m. biceps brachii. 肘横纹上3寸,二头肌内侧沟中的穴位是:
A. LU-3 天府
B. HT-2 青灵
C. LU-4 侠白
D. HT-3 少海
- 92 The point is located 0.5 cun above the transverse crease of the wrist. 腕横纹上5分的穴位为:
A. HT-7 神门
B. HT-6 阴郛
C. HT-5 通里
D. HT-4 灵道
- 93 BL-62 is located at 申脉穴位于:
A. In the depression directly below the external malleolus 外踝下
B. In the depression below the tip of the medial malleolus 内踝下
C. In the depression between the tip of the external malleolus and achilles' tendon. 外踝与跟腱之间
D. In the depression between the tip of the medial malleolus and achilles' tendon 内踝与跟腱之间
- 94 This point is between the fourth and fifth metacarpal bones. 手掌第四,五掌骨之间的穴位为:
A. LI-4 合谷
B. LI-10 鱼际
C. HT-8 少府
D. SI-3 后溪
- 95 This point is located in the depression inferior to the scapular spine. 肩胛冈下缘的穴位是:
A. SI-10 臑俞
B. SI-9 肩贞
C. LI-14 臂臑
D. SI-12 秉风
- 96 This point is located in the centre of the suprascapular fossa. 肩胛冈上窝中点的穴位是:
A. SI-10 臑俞
B. SI-12 秉风
C. SI-11 天宗

D. SI-13 曲垣

97 SI-15 is located at: 肩中俞位于:

- A. 3 cun lateral to the lower border of the spinous process of the first thoracic vertebra. 第一胸椎旁开 3 寸
- B. 2 cun lateral to the lower border of the spinous process of the seventh cervical vertebra. 第七颈椎旁开 2 寸
- C. 2 cun lateral to the lower border of the spinous process of the first thoracic vertebra. 第一胸椎旁开 2 寸
- D. 3 cun lateral to the lower border of the spinous process of the seventh cervical vertebra. 第七颈椎旁开 3 寸

98 UB-52 is located at: 志室穴位于:

- A. 3 cun lateral to midline, at the level of the lower border of the spinous process of the ninth thoracic vertebra 第 9 胸椎棘突下旁开 3 寸
- B. 3 cun lateral to midline, at the level of the lower border of the spinous process of the eleventh thoracic vertebra 第 11 胸椎棘突下, 旁开 3 寸
- C. 3 cun lateral to midline, at the level of the lower border of the spinous process of the second lumbar vertebra. 第 2 腰椎棘突下, 旁开 3 寸
- D. 3 cun lateral to midline, at the level of the lower border of the spinous process of the fifth thoracic vertebra 第 5 胸椎棘突下, 旁开 3 寸

99 The point is located 3 cun lateral to the sacro-coccygeal hiatus. 骶管裂孔正中旁开 3 寸的穴位是:

- A. UB-32 次髎
- B. UB-35 会阳
- C. UB-54 秩边
- D. UB-53 胞肓

100 This point is located 7 cun directly above UB-60 昆仑直上 7 寸的穴位是:

- A. UB -57 承山
- B. UB -58 飞扬
- C. UB -59 跗阳
- D. UB-56 承筋

101 This point is located on the lateral side of the small toe. 足小趾外侧的穴位为:

- A. SP-1 隐白
- B. ST-45 厉兑
- C. UB-67 至阴
- D. SI-1 少泽

102 Which of the following point is the "Son" point? 下列哪一穴为子穴:

- A. LU-11 少商
- B. LU-9 太渊
- C. LU-8 经渠
- D. LU-5 尺泽

103 Which of the following point is the "Mother" point? 下列哪一穴为母穴:

- A. LU-11 少商
- B. LU-9 太渊
- C. LU-8 经渠
- D. LU-5 尺泽

104 If a patient has Lung-Qi Deficiency, according to the five element tonification-sedation, which of the following should be used? 如果肺气虚,按五行补泻,应选用:

- A. Tonify LU-10 补鱼际
- B. Reduce LU-9 泻太渊
- C. Tonify SP-3 补太白
- D. Reduce SP-1 泻隐白

105 Which of the following point is effective to treat acute hemoptysis (coughing blood)? 善治急性咳血的穴位是:

- A. LU-9 太渊
- B. LU-6 孔最
- C. LU-7 列缺
- D. LU-11 少商

106 Which of the following point can be used to open the orifices (for patient loss of consciousness), also indicated for cough and asthma? 下列哪一穴,除了开窍以外,又能治咳嗽气喘:

- A. LU-1 商阳
- B. LU-11 少商
- C. ST-45 厉兑
- D. SP-1 隐白

107 Which of the following point can be used for edema due to Wind-Water? 能治风水水肿的穴位是:

- A. LI-2 二间
- B. LI-3 三间
- C. LI-11 曲池
- D. LI-6 偏历

108 Which of the following point is contraindicated in pregnancy? 孕妇忌用的穴位是:

- A. LU-9 太渊
- B. SP-3 太白
- C. LI-4 合谷
- D. ST-42 冲阳

109 Which of the following sets of points are good for treating toothache in the lower jaw? 善治下牙痛的穴位是:

- A. ST-44 + ST-7 内庭+ 下关
- B. LI-4 + ST-6 合谷+ 颊车
- C. LI-4 + ST-3 合谷+ 巨髎
- D. ST-2 + ST-4 四白+ 地仓

110 The best point for treatment of all disorders of the nose? 最善治鼻病的穴位是:

- A. ST-2 四白

- B. ST-3 巨膠
- C. LI-20 迎香
- D. ST-4 地仓

111 Which of the following point is commonly indicated for amenorrhea (no period), and prolapse of the organ? 多用于治疗月经不行, 脏器下垂的穴位是:

- A. ST-36 足三里
- B. ST-21 梁门
- C. ST-29 归来
- D. ST-25 天枢

112 Which of the following point should be regularly used for it has the function to reinforcing the correct qi to preserve and maintain health? 经常使用可以大补元气, 保健身体的穴位是:

- A. GB-34 阴陵泉
- B. ST-36 足三里
- C. ST-42 冲阳
- D. SP-3 太白

113 Which of the following point has the function to regulates the intestines, and it can be used in the treatment of intestinal abscess? 善于调理大肠, 又可以用于治疗肠痛的穴位是:

- A. ST-39 下巨虚
- B. ST-37 上巨虚
- C. ST-36 足三里
- D. ST-21 梁门

114 Which of the following point has the function to transform the phlegm and can be used for treatment of coughing with copious phlegm? 善于化痰, 用以治疗咳嗽痰盛的穴位是:

- A. LU-9 太渊
- B. LU-5 尺泽
- C. ST-40 丰隆
- D. SP-3 太白

115 Which of the following point is a primary point in the treatment of gynecological disorders? 被称为妇科之要穴的穴位是:

- A. SP-9 阴陵泉
- B. ST-36 足三里
- C. SP-6 三阴交
- D. SP-10 血海

116 Which of the following point is good at releases the exterior and expels wind, it is a confluent point of the Conception vessel, and it can be used to treatment of disorder of low jiao? 善于祛风解表, 又通于任脉, 可以治疗下阴病的穴是:

- A. LI-6 偏历
- B. LU-7 列缺
- C. SP-4 公孙
- D. SP-6 三阴交

- 117 This point can invigorates the blood and dispels stasis, clears heat and cools blood, therefore it is commonly used to treat disorders of blood. 既可以活血化瘀,又可以凉血清热,善于治疗血病的穴是:
- A. SP-6 三阴交
 - B. ST-29 归来
 - C. SP-8 地机
 - D. SP-10 血海
- 118 Which of the following point is indicated for treatment of shoulder pain? 善治肩痛的穴位是:
- A. ST-40 丰隆
 - B. ST-38 条口
 - C. LI-1 商阳
 - D. ST-35 犊鼻
- 119 LI-14 is an important point to treat shoulder pain, and it has an additional function for which of the following disorder? 臂臑是治疗肩痛的要穴,它还可以:
- A. Deviated mouth and eyes 口眼歪斜
 - B. Scrofula, goitre 瘰疬
 - C. Coughing 咳嗽
 - D. Constipation 便秘
- 120 This point can be used to treat chronic cough due to Lung-Qi Deficiency as well as coughing and asthma due to excess. 既可以治疗肺虚久咳,又可以治疗实证咳喘的穴位是:
- A. LU-5 尺泽
 - B. LU-10 鱼际
 - C. LU-7 列缺
 - D. LU-9 太渊
- 121 Which of the following point is best for treating sudden loss of voice? 最善于治疗暴暗的穴位是:
- A. HT-3 少海
 - B. HT-7 神门
 - C. HT-5 通里
 - D. HT-6 阴郄
- 122 Which of the following point is the first choice when treating patient with night sweating from Yin-Deficiency? 首选用于治疗阴虚盗汗的穴位是:
- A. HT-4 灵道
 - B. HT-6 阴郄
 - C. HT-8 少府
 - D. HT-5 通里
- 123 This point can be used to treat disorder of Heart channel, and it is also effective for clearing damp-heat in the lower jiao. 既能治疗心经疾患又善治下焦湿热的穴位是:
- A. HT-7 神门
 - B. HT-3 少海
 - C. HT-8 少府
 - D. HT-9 少冲

124 This point is indicated for lack of lactation. 善治乳汁少的穴位是:

- A. HT-9 少冲
- B. SI-1 少泽
- C. SI-7 支正
- D. SI-8 小海

125 This point treat pain and rigidity of neck and occiput, acute lumbar sprain. 善于治疗颈项强, 闪腰痛的穴位是:

- A. SI-5 阳谷
- B. SI-3 后溪
- C. SI-4 腕骨
- D. SI-6 养老

126 This point is a Yuan-Source point, and it is also indicated for treatment of jaundice. 既是原穴, 又善于退黄的穴位是:

- A. HT-7 神门
- B. SI-4 腕骨
- C. UB-64 京骨
- D. SP-3 太白

127 This point can benefits the eyes for blurring of vision. 善于明目的穴位是:

- A. SI-1 少泽
- B. SI-7 支正
- C. SI-6 养老
- D. SI-8 小海

128 Besides treating pain in the scapular region, SI-11 (Tian Zong) can is also indicated for: 天宗穴除了治疗肩胛痛以外, 尚可治疗:

- A. Diarrhea 腹泻
- B. Scrofula, goitre 瘰疬
- C. Breast abscess 乳痈
- D. Stiff and rigidity of neck 颈项强

129 This point is indicated for pain in the supraorbital region. 用于治疗眉棱骨痛的穴位是:

- A. UB-1 睛明
- B. ST-1 承泣
- C. UB-7 通天
- D. UB-2 攒竹

130 Which of the following point is commonly used for treatment of nasal congestion and nosebleed? 下列何穴常用于治疗鼻衄, 鼻塞?

- A. UB-3 眉冲
- B. UB-7 通天
- C. UB-8 络却
- D. UB-11 大杼

131 Which of the following point is important for treatment of external contraction of wind evil? 下列何穴是治疗外感风邪的要穴?

- A. UB-11 大杼
- B. UB-12 风门
- C. UB-13 肺俞
- D. UB-14 厥阴俞

132 Which of the following point is important for treatment of cough, asthma, afternoon fever, and night sweating? 治疗咳嗽气喘,潮热盗汗的要穴是:

- A. UB-15 心俞
- B. UB-13 肺俞
- C. UB-17 膈俞
- D. UB-20 脾俞

133 Which of the following point can be used to night blindness? 治疗夜视不明的要穴是:

- A. UB-17 膈俞
- B. UB-18 肝俞
- C. UB -20 脾俞
- D. UB -23 肾俞

134 Which of the following point is effective for treatment of vomiting? 善治呕吐的穴位,当首选:

- A. UB -22 三焦俞
- B. UB -20 脾俞
- C. UB -21 胃俞
- D. UB -24 气海俞

135 The point is effective to regulates the water passages, promotes urination and resolves masses. 善于利水消肿的穴位是:

- A. UB -20 脾俞
- B. UB -21 胃俞
- C. UB -28 膀胱俞
- D. UB -22 三焦俞

136 The point is indicated for chronic dyspnea and cough, tinnitus and deafness: 既可以治疗久喘无力,又可以治疗耳鸣耳聋的穴位是:

- A. UB -13 肺俞
- B. UB -18 肝俞
- C. UB -23 肾俞
- D. UB -24 气海俞

137 The best point for treatment of lukorrhea is: 善治带下病的要穴是:

- A. UB -27 小肠俞
- B. UB -30 白环俞
- C. UB -26 关元俞
- D. UB -23 肾俞

- 138 The important acupuncture point to treat Yin edema as well as Yang edema is: 既可以治疗阴水, 有可以治疗阳水的要穴是:
- A. UB -40 委中
 - B. UB -39 委阳
 - C. UB -36 承扶
 - D. UB -57 承山
- 139 To treat disorder of deficiency-taxation, the best point to be selected is: 治疗虚劳疾患, 应首选:
- A. UB -20 脾俞
 - B. UB -23 肾俞
 - C. UB -26 关元俞
 - D. UB -43 膏肓
- 140 This point is effectively and should be selected for treating disorder of anal region (ex.hemorrhoids). 治疗肛门疾患, 宜选用:
- A. UB -40 委中
 - B. UB -60 昆仑
 - C. UB -57 承山
 - D. UB -62 申脉
- 141 The most important point to be selected for treatment of daytime epilepsy is: 癫痫发于白昼应首选:
- A. UB -60 昆仑
 - B. UB -62 申脉
 - C. UB -64 京骨
 - D. UB -65 束骨
- 142 The important point to treat malposition of the fetus (turns the fetus) is: 用于纠正胎位不正要穴是:
- A. SI-1 少泽
 - B. HT-9 少冲
 - C. UB -67 至阴
 - D. UB -60 昆仑
- 143 The points along which of the following channel is commonly selected for treating disorder of shoulder and scapula? 治疗肩胛疾患多选用_____经上穴位:
- A. Hand Yang-Ming Large Intestine channel 手阳明大肠经
 - B. Hand Tai-Yang Small Intestine channel 手太阳小肠经
 - C. Hand Shao-Yin Heart channel 手少阴心经
 - D. Foot Tai-Yang Bladder channel 足太阳膀胱经
- 144 Which of the following statement is incorrect? 下列哪种解释不对?
- A. LU-1 is Front-Mu point of the Lung 中府是肺的募穴
 - B. LU-1 is the meeting point of the Lung and Stomach channels 中府是肺经与胃经的交会穴
 - C. When needling LU-1, the method of insertion is obliquely and towards the lateral aspect of the chest 中府进针向外斜刺
 - D. LU-1 is 6 cun lateral to the Conception Vessel (Ren Mai) 中府在任脉旁 6 寸

- 145 This point is one of the Five Shu Points, a metal point, and can be used to treat gastro-intestinal disorder. 既是五输穴的经穴, 金穴, 又治胃肠病的穴位是:
- A. LU-9 太渊
 - B. SP-5 商丘
 - C. SP-3 太白
 - D. LU-8 经渠
- 146 Which of the following is an important point for treating hernia? 下列何穴是治疗疝气的要穴:
- A. LV-1 大敦
 - B. LV-2 行间
 - C. LV-3 太冲
 - D. LV-5 蠡沟
- 147 Which of the following point is important to treat itchiness of genital area? 下列何穴是治疗阴部搔痒的要穴:
- A. LV-1 大敦
 - B. LV-2 行间
 - C. LV-3 太冲
 - D. LV-5 蠡沟
- 148 Which of the following points is effective for harmonises the Liver and Spleen? 下列何穴善于疏肝理脾?
- A. LV-2 行间
 - B. LV-3 太冲
 - C. LV-13 章门
 - D. LV-12 急脉
- 149 Which one of the following acupuncture point is the meeting point of Ren, Du and Chong meridians? 下列何穴为任, 督, 冲脉之会?
- A. REN -1 会阴
 - B. REN -2 曲骨
 - C. REN -3 中极
 - D. REN -4 关元
- 150 Which of the following points is not good for deficiency syndrome? 下列何穴不用于治疗虚脱症?
- A. REN -3 中极
 - B. REN -6 气海
 - C. REN -4 关元
 - D. REN -8 神阙
- 151 Which of the following point is Contraindicated for pregnant woman? 怀孕妇女忌用的穴位是:
- A. REN -17 膻中
 - B. REN -11 建里
 - C. REN -3 中极
 - D. REN -8 神阙

152 Which of the following acupuncture point should not use needle, and should only apply moxibustion? 只灸不针的穴位是:

- A. REN -3 中极
- B. REN -5 石门
- C. REN -7 阴交
- D. REN -8 神阙

153 Commonly used point to drain the edema is: 常用于退水肿的穴位是:

- A. REN -3 中极
- B. REN -9 水分
- C. REN -12 中脘
- D. REN -4 关元

154 Luo connecting point of Ren is? 任脉之络穴是:

- A. REN -16 中庭
- B. REN -15 鸠尾
- C. REN -14 巨阙
- D. REN-1 会阴

155 Front Mu point of PC is? 心包经之募穴是:

- A. REN -15 鸠尾
- B. REN -16 中庭
- C. REN -17 膻中
- D. REN -22 天突

156 Which of the following point is good for swelling below the tongue with difficulty speaking? 善于治疗舌强不语的穴位是:

- A. REN -22 天突
- B. REN -23 廉泉
- C. REN -24 承浆
- D. REN -14 巨阙

157 Which of the following point is good for treatment of abnormal movement, stiffness, contraction & spasm of the sinews? 善于治疗肌肉抽搐的穴位是:

- A. DU-7 中枢
- B. DU-6 脊中
- C. DU-8 筋缩
- D. DU-9 至阳

158 The important point to treat jaundice is: 治疗黄疸的要穴是:

- A. DU-7 中枢
- B. DU-4 命门
- C. DU-10 灵台
- D. DU-9 至阳

159 The important point to treat carbuncles and furuncles is: 治疗疔疮的要穴是:

- A. DU-6 脊中

- B. DU-7 中枢
- C. DU-10 灵台
- D. DU-11 神道

160 This point is good to calm the mind and spirit, can treat palpitation and insomnia: 善于宁心安神, 治疗心悸失眠的穴位为:

- A. DU-9 至阳
- B. DU-10 灵台
- C. DU-11 神道
- D. DU-12 身柱

161 If a patient has chronic asthma, what is the common point selected for this purpose? 气喘日久, 常选用何穴治疗?

- A. DU-9 至阳
- B. DU-11 神道
- C. DU-12 身柱
- D. DU-13 陶道

162 which one of the following points is the most important point to clear heat? 被称为退热要穴的是:

- A. DU-13 陶道
- B. DU-14 大椎
- C. DU-11 神道
- D. DU-16 风府

163 Which one of the following acupuncture points is the least concern to damage the brain marrow? 最不必担心伤及脑髓的穴位是:

- A. DU-14 大椎
- B. DU-15 哑门
- C. DU-17 脑户
- D. DU-16 风府

164 Which one of the following is not the main indications for DU-20? 百会穴的主证, 下列哪项不对?

- A. loss of consciousness 昏厥
- B. Hemorrhoids 痔疮
- C. headache 头痛
- D. weakness of lower extremities 下肢无力

165 The point which is good to expel the wind, calm the shen, and treat nose bleeding is? 善于祛风宁神, 治疗鼻衄的穴位为:

- A. DU-20 百会
- B. DU-21 前顶
- C. DU-23 上星
- D. DU-24 神庭

166 All of the following are indication for DU-26, EXCEPT? 水沟穴的主证, 下列哪一项不对?

- A. loss of consciousness 昏厥
- B. swelling of the face 头面水肿

- C. sprain of the lumbar spine 闪腰
D. hoarseness 音哑
- 167 The important point to treat vomiting of blood is? 治疗吐血的要穴是:
A. Shi Xuan 十宣
B. Wei Guan XiaShu 胃管下俞
C. Shi Qi Zhui 十七椎
D. Zhong Quan 中泉
- 168 Needling method for DU-25 is? 针刺素髌穴的针法为:
A. Perpendicular 0.5 cun 直刺 0.5 寸
B. Moxibustion only, no needling 只灸不刺
C. Needling upward 0.5 cun 斜向上刺 0.5 寸
D. Perpendicular, 0.2-0.3 cun 直刺 0.2-0.3 寸
- 169 Which one of the following points is best to use to treat patient with red/swollen eyes due to Liver-fire? 病人目赤肿痛属于肝火引起者, 应选用:
A. LV-1 大敦
B. LV-2 行间
C. LV-3 太冲
D. LV-4 中封
- 170 Front Mu point of SI is? 小肠募穴是:
A. REN -3 中极
B. REN -6 气海
C. REN -4 关元
D. REN -5 石门
- 171 All of the following can describe the CV-12, EXCEPT? 下列哪一个不是中脘的特点?
A. Meeting point of Foot Yang Ming meridian and Hand Shao Yang meridian 足阳明, 手少阳之会
B. ST's front Mu point 胃之募穴
C. Zhang meeting point 脏会
D. can treat stomachache 治胃脘痛
- 172 All of the following can describe the CV-17, EXCEPT? 下列哪一项不是膻中之特点?
A. Qi-meeting point 气会
B. PC's front Mu point 心包募穴
C. can treat breast pain 可以治乳痛
D. can treat stomachache 可以治胃痛
- 173 Which of the following point can treat sweating disorders, and also drain the water? 善于治疗汗症, 又可以利水的穴位为:
A. KD-2 然谷
B. KD-3 太溪
C. KD-1 涌泉
D. KD-7 复溜

174 Which of the following points is not belong to Ying-Spring points? 下列哪一个穴位不是荥穴?

- A. KD-2 然谷
- B. PC-8 劳宫
- C. SJ-2 液门
- D. GB-42 地五会

175 Which of the following points not only can drain the heat and open the orifi, but also treat the deafness and ringing in the ear? 下列哪一个穴位除了泄热开窍以外, 还可以治疗耳聋耳鸣?

- A. KD-1 涌泉
- B. GB-44 足窍阴
- C. PC-9 中冲
- D. PC-8 劳宫

176 Which one of the following points is good for invigorating Kidney for Reinforcing Primordial Qi? 善于补肾培元的穴位是:

- A. GB-34 阳陵泉
- B. PC-3 曲泽
- C. SJ-10 天井
- D. KD-10 阴谷

177 Except treating impotence, insomnia, forgetfulness, KD-3 can also treat which of the following: 太溪穴除了治疗阳萎, 遗精, 失眠健忘以外, 还可以治疗:

- A. bitter taste in the mouth 口苦
- B. mania 癫狂
- C. poor appetite, nausea and vomiting 纳少, 呕吐
- D. coughing and asthma 咳嗽气喘

178 GB-26 is level with which of the following point? 带脉与下列何穴相平:

- A. REN -12 中脘
- B. REN -8 神阙
- C. REN -6 气海
- D. REN -4 关元

179 Where are the three yin muscle regions of the foot connect with? 足三阴经筋结于何处:

- A. chest and abdominal region 胸腹
- B. neck region 颈部
- C. eyes region 目周围
- D. genital region 阴器

180 Which collateral has the pathological manifestations of fullness in the chest and diaphragm in excess condition and aphasia in deficiency condition? 实则胸中支满, 虚则不能言语, 是何络病:

- A. The Collateral of Hand-Shaoyin 手少阴络
- B. The Collateral of Hand-Jueyin 手厥阴络
- C. The Collateral of Hand-Taiyang 手太阳络
- D. The Collateral of Foot-Taiyin 足太阴络

181 Which of the following meridians has a pathological manifestations of inversion of the foot? 足内翻, 是何经病:

- A. The Yang Heel Vessel (Yang Qiao Meridian) 阳跷脉
- B. The Yin Heel Vessel (Yin Qiao Meridian) 阴跷脉
- C. The Collateral of Foot-Shaoyin 足少阴之络
- D. The Collateral of Foot-Yangming 足阳明之络

182 Which of the following sets of points are connecting to Sea of Marrow? 髓海所通的穴位是:

- A. ST-9 DU-14 人迎, 大椎
- B. DU-20, DU-16 百会, 风府
- C. ST-30, ST-36 气冲, 足三里
- D. UB-11, ST-37, ST-39 大杼, 上巨虚, 下巨虚

183 Which of the following meridian has indication for hernia in male and leukorrhea and abdominal mass in female? 男子疝气, 女子带下积聚, 是何经病:

- A. The Conception Vessel (Ren Meridian) 任脉
- B. The Governor Vessel (Du Meridian) 督脉
- C. The Yang Linking Vessel (Yang-Wei Meridian) 阳维脉
- D. The Yin Linking Vessel (Yin-Wei Meridian) 阴维脉

184 Which of the following point is effective inclearing the stomach heat? 下列哪一穴善除胃热?

- A. LU-10 鱼际
- B. LI-2 二间
- C. ST-44 内庭
- D. SP-2 大都

185 The important point which is indicated in the treatment of dysmenorrhea (painful period). 治疗月经痛的要穴是:

- A. SP-8 地机
- B. LI-11 曲池
- C. ST-42 冲阳
- D. SP-1 隐白

186 The point is known for clearing blood-heat, and also effective for treating lumbar pain. 善于去血中热毒, 又用以治疗腰背痛的穴位是:

- A. UB -17 膈俞
- B. UB -67 至阴
- C. UB -40 委中
- D. UB -58 飞扬

187 The point can be used to treat vomiting and coughing, and also have function to nourishes and harmonises the blood. 既可以治疗呕吐咳嗽又善于理血补血的穴位是:

- A. UB -13 肺俞
- B. UB -21 胃俞

- C. UB -17 膈俞
- D. UB -20 脾俞

188 The point if not careful when needling, may puncturing the carotid artery. 易伤及颈总动脉的穴位是:

- A. ST-9 人迎
- B. ST-5 大迎
- C. ST-12 缺盆
- D. LI-18 扶突

189 The point is used to treat fever due to exterior invasion, it has function to promote the sweating as well as stop sweating. 在治疗外感发热时,既可以发汗,又可以止汗的穴位是:

- A. LU-9 太渊
- B. LU-7 列缺
- C. LI-4 合谷
- D. LI-5 阳溪

190 The stomach divergent channel passes through 胃經別循行經過

- A. Heart 心臟
- B. Eye system 眼系
- C. Nose 鼻
- D. All of the above 以上皆是

191 Ren meridian ends at 任脈的終點在於

- A. Lower lip 下唇
- B. Upper lip 上唇
- C. Infraorbital region 眶下區
- D. Vertex 巔頂

192 Liver meridian connects with which of the following organs except 肝經和以下哪一器官沒有連繫?

- A. Lung 肺
- B. Stomach 胃
- C. Liver 肝
- D. Kidney 腎

193 At which vertebrae level, does kidney divergent channel connect to Dai meridian 腎經經別在以下哪一脊椎處和帶脈相連接?

- A. T7 第七胸椎
- B. T12 第十二胸椎
- C. L2 第二腰椎
- D. L4 第四腰椎

194 Which of the following meridians enter ear? 以下那一組經絡循行入耳朵?

- A. PC, SJ 心包經, 三焦經
- B. SJ, GB 三焦經, 膽經
- C. GB, LV 膽經, 肝經
- D. SJ, KD 三焦經, 腎經

- 195 The point located in the anterior side of sternocleidomastoid muscle is? 下列那一穴位位於胸鎖乳突肌前緣?
- A. LI-17 天鼎
 - B. LI-18 扶突
 - C. ST-9 人迎
 - D. SI-16 天窗
- 196 Which of the following point is level with the 4th intercostal space? 下列那一穴位平第四肋肋間?
- A. REN-17 膻中
 - B. KD-22 步廊
 - C. SP-19 胸鄉
 - D. ST-15 屋翳
- 197 The extra point, Er Bai, is located at 二白穴位置?
- A. 2 cun above the wrist, on both sides of the tendon of M. flexor carpi radialis 腕橫紋上二寸, 橈側腕屈肌腱兩側
 - B. 2 cun above the wrist, on both sides of the tendon of M. flexor carpi ulnaris 腕橫紋上二寸, 尺側腕屈肌腱兩側
 - C. 4 cun above the wrist, on both sides of the tendon of M. flexor carpi ulnaris 腕橫紋上四寸, 尺側腕屈肌腱兩側
 - D. 4 cun above the wrist, on both sides of the tendon of M. flexor carpi radialis 腕橫紋上四寸, 橈側腕屈肌腱兩側
- 198 The front-mu point of Kidney is? 腎經的募穴為?
- A. GB-24 日月
 - B. GB-25 京門
 - C. KD-26 關元俞
 - D. KD-27 小腸俞
- 199 The point which is located at medial side of the tendon of M. tibialis anterior is: 下列那一穴位位於脛骨前肌腱內側?
- A. LV-4 中封
 - B. GB-41 足臨泣
 - C. GB-42 地五會
 - D. ST-41 解谿
- 200 Which point(s) "firm the exterior" and benefit defense qi? 下列那穴位可以固表, 可增強衛氣?
- A. UB -10 天柱
 - B. UB -11 大杼
 - C. UB -12 風門
 - D. B + C